



Low Frequency Mountings



Low Frequency Mountings

These anti-vibration mountings are designed to give large deflection for small loads and are used to protect suspended equipment against vibration and impact. Low Frequency Mountings are available in three sizes and two grades of rubber hardness.

Novibra® type Low Frequency are designed for shear as well as compressive loads. Continual tensile load should be avoided.

Ideal for applications as:

- Light instruments
- Light fans and compressors
- Computer and electronic units
- Shock mounting for light applications

About Trelleborg Industrial AVS

Over 100 years of experience as Metalastik and Novibra, today Trelleborg Industrial AVS make improvements people can physically feel. From smoother travel to quieter, more efficient machines, we make life feel better. With quality, testing and compliance built in, we're in it for the long haul, ensuring your solution still works, over an extended and often arduous life-cycle.


With three state-of-the-art manufacturing plants across the globe, our experience in rubber to metal bonding enhances several industries, including off-highway vehicles, rail and mass transit, marine and energy and general industry.

We offer an end-to-end service, to take you from concept through design, manufacturing and testing to delivery. This reduces the complexity of supply, helping you cut costs, mitigate risk and receive on time, on budget delivery.

Trelleborg IAVS is part of Trelleborg Group, which employs 15,000 people in over 40 countries. Whatever your challenge, whatever your role and wherever you are, we are nearby to offer expert knowledge and quality solutions.

Low Frequency Mounting

Technical Drawing



Product Data

TYPE	PART NO.		A	B	C	D	E	45° IRH MAX LOAD			60° IRH MAX LOAD		
	45° IRH	60° IRH						COMPRESSION	SHEAR	ROLLING SHEAR	COMPRESSION	SHEAR	ROLLING SHEAR
17-1394	20-00017	20-00018	17	14	13	M4	10	14	4	2.5	18	5	3.5
17-1395	20-00020	20-00021	30	25	19	M5	14	30	10	8	55	15	12
17-1396	20-00022	20-00023	38	35	25	M6	15	85	30	25	125	45	35



WWW.TRELLEBORG.COM/ANTI-VIBRATION-SOLUTIONS

For further information visit our website or e-mail industrialavs@trelleborg.com

The content in this datasheet was correct at the time of printing, but is subject to change without notice.

